

NKIB5911 INA Cur 17300 N / Fatigue limit load. radial 55x80x38mm Complex bearings

Bearing number	NKIB5911
Size (mm)	55x80x38
Brand	INA
Bore Diameter (mm)	55
Outer Diameter (mm)	80
Width (mm)	38
d	55 mm
D	80 mm
B	38 mm
C	34 mm
F	63 mm
r_{\min}	1 mm
m	555 g / Weight
C_r	65000 N / Dynamic load rating (radial)
C_{0r}	100000 N / Static load rating (radial)
C_a	12100 N / Dynamic load rating (axial)
C_{0a}	29500 N / Static load rating (axial)
C_{ur}	17300 N / Fatigue limit load. radial
C_{ua}	1300 N / Fatigue limit load. axial
n_G	7300 1/min / Limiting speed
Category	Thrust Roller Bearing

BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.56
EAN	4012802059793
Product Group – BDI	B04144
Rolling Element	Combination – Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	55MM Bore 1; 55MM Bore 2; 80MM Outside Diameter; 38MM Height; Combination – Needle Roller and Thrust Ball Bearing; Double Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly plus Raceways
Inch – Metric	Metric
Category – BDI	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com

Manufacturer Item Number	NKIB5911
Weight / LBS	1.224
Height	1.496 Inch 38 Millimeter
Outside Diameter	3.15 Inch 80 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	2.165 Inch 55 Millimeter
Bore 2	2.165 Inch 55 Millimeter