

NKXR17-Z INA Other Features With Grease Retaining Cap 17x26x25mm Complex bearings

Bearing number	NKXR17-Z
Size (mm)	17x26x25
Brand	INA
Bore Diameter (mm)	17
Outer Diameter (mm)	26
Width (mm)	25
F_w	17 mm
D	26 mm
C – 25 mm / Tolerance: -0,25	25 mm / Tolerance: 0.25
C_1 – 9 mm / Tolerance: -0,2	9 mm / Tolerance: 0.2
C_2	8 mm
$D_{2 \max}$	31.2 mm
d_a	25.7 mm
d_w	17 mm / Tolerance: E8
$r_{a \max}$	0.3 mm
r_{\min}	0.3 mm
	NAXR17Z / Designation to DIN 5429
m	53 g / Weight
C_r	13500 N / Dynamic load rating (radial)
C_{0r}	15000 N / Static load rating (radial)

C_a	16000 N / Dynamic load rating (axial)
C_{0a}	33500 N / Static load rating (axial)
C_{ur}	2750 N / Fatigue limit load. radial
C_{ua}	4650 N / Fatigue limit load. axial
n_G	12000 1/min / Limiting speed
n_B	5500 1/min / Reference speed
	IR14X17X17 / Suitable inner ring
Category	Thrust Roller Bearing
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.063
EAN	4012802632118
Product Group – BDI	B00234
Rolling Element	Combination – Needle Roller and Thrust Roller Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Other Features	With Grease Retaining Cap

Long Description	17MM Bore 1; 17MM Bore 2; 26MM Outside Diameter; 25MM Height; Combination – Needle Roller and Thrust Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly plus Raceways
Inch – Metric	Metric
Category – BDI	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.80
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKXR17Z
Weight / LBS	0.11
Height	0.984 Inch 25 Millimeter
Bore 1	0.669 Inch 17 Millimeter
Bore 2	0.669 Inch 17 Millimeter
Outside Diameter	1.024 Inch 26 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter