

NSK 60/22DDU deep groove ball bearings

High Quality NSK 60/22DDU deep groove ball bearings. 45 Bore Diameter (mm) Competitive 30,2 mm S1 Pricing. Accept Small Order. Easy and Fast Shipping.

Bore Diameter (mm)	45
d	45 mm
S1	30,2 mm
Thread (Q)	Rp1/8
A	48 mm
A1	32 mm
B	49,2 mm
H	54 mm
H1	21,5 mm
H2	107 mm
J	150 mm
L	192 mm
N	14 mm
N1	29 mm
Weight	2,16 Kg
Basic dynamic load rating (C)	32,5 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	2.4
EAN	4012802797794
Product Group	M06110

Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GYE45KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch – Metric	Metric
Other Features	Single Row Standard Shaft Height
Long Description	2 Bolt Pillow Block; 45MM Bore; 54MM Base to Center Height; Set Screw Mount; Ball Bearing; 136.5MM M
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	RASEY45
Weight / LBS	5.29
Base to Center Height	2.126 Inch 54 Millimeter
Bolt Spacing Minimum	5.374 Inch 136.5Millimeter
Bore	1.772 Inch 45 Millimeter
Bolt Spacing Maximum	6.319 Inch 160.5Millimeter
Length Thru Bore	1.937 Inch 49.2 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter

Nominal Bolt Center to Center	5.8 Inch 146.5 Millimeter
-------------------------------	-----------------------------