

# NSK 6302T1XZZ deep groove ball bearings

NSK 6302T1XZZ deep groove ball bearings Needs Analysis , 0.0 Inventory Manufacturing Service . Get Your Free. TIMKEN Manufacturer Name

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	69.7
EAN	0013992039132
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE403BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Medium Duty   With Support   Wide Inner Ring   Axial Float
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	153.52
Bolt Spacing Maximum	0 Inch   0Millimeter
D	3.937 Inch   100 Millimeter
d	4.188 Inch   106.375 Millimeter
B	6.378 Inch   162 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Actual Bolt Center to Center	17.7 Inch   450Millimeter
Nominal Bolt Center to Center	17.7 Inch   450 Millimeter
Shaft Size	4-3/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Four-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – SAFQ
Bolt Size	4 x 7/8
Bearing UPC	013992032454
Dimension H	6 in
Dimension H2	13.1 in
Dimension J1	16 in
Dimension J2	14-1/2 in
Dimension K	3-1/4 in
Dimension L	18-3/8 in
Dimension M	5-1/8 in
Housing Width	6.4 in
Cr – Dynamic Load Rating	102130 lbf

Cor – Static Load Rating	133135 lbf
Maximum Speed	1820 rpm
Note	This product line was formerly known as “Revolvo”