

NSK 85TMP12 thrust roller bearings

What is the best place 2.0 Inventory to buy NSK 85TMP12 thrust roller bearings online? Manufacturing Service .

Inventory	2.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.059
EAN	7316570024500
Product Group	B00152
Mounting Method	Shaft
Enclosure	2 Seals
Rolling Element	Ball Bearing
Cage Material	Polyamide
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 1.5 Deg High Capacity Design
Long Description	12MM Bore; Shaft Mount; 32MM Outside Diameter; 14MM Inner Race Width; 14MM Outer Race Width; 2 Seals
Inch – Metric	Metric
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing

Keyword String	Self Aligning
Manufacturer Item Number	2201 E-2RS1TN9
Weight / LBS	0.129
D	32 mm
Inner Race Width	0.551 Inch 14 Millimeter
d	12 mm
Outer Race Width	0.551 Inch 14 Millimeter
bore diameter:	12 mm
precision rating:	Not Rated
outside diameter:	32 mm
maximum rpm:	16000 RPM
overall width:	14 mm
cage material:	Fiberglass Reinforced Nylon
bore type:	Straight
finish/coating:	Uncoated
closure type:	Double Sealed
maximum misalignment:	2.5 °
internal clearance:	C0
outer ring width:	14 mm
operating temperature range:	-40 to +210 °F
fillet radius:	0.6 mm
dynamic load capacity:	6.24 kN
series:	2200
static load capacity:	1.43 kN
B	14 mm
d2 ≈	15.5 mm
D2 ≈	27.34 mm
r1,2 min.	0.6 mm

da min.	15.5 mm
da max.	15.5 mm
Da max.	27.8 mm
ra max.	0.6 mm
Basic dynamic load rating C	6.24 kN
Basic static load rating C ₀	1.43 kN
Fatigue load limit P _u	0.08 kN
Limiting speed	16000 r/min
Permissible angular misalignment α	1.5 °
Calculation factor k _r	0.045
Calculation factor e	0.33
Calculation factor Y ₀	2
Calculation factor Y ₁	1.9
Calculation factor Y ₂	3
Mass bearing	0.053 kg