

NSK 95BER10X angular contact ball bearings

Shop NSK 95BER10X angular contact ball bearings huge online discount inventory. and Import machinery parts your car needs NTN Manufacturer Name with Free Shipping and Free 0.0 Inventory Extended Warranty.

| | |
|---------------------------|----------------------------|
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight | 3.363 |
| EAN | 4547359502336 |
| Product Group | M06110 |
| Number of Mounting Holes | 4 |
| Mounting Method | Set Screw |
| Housing Style | 4 Bolt Square Flange Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 5/8 Inch |
| Relubricatable | Yes |
| Insert Part Number | UC211-203D1 |
| Seals | Single Lip Land Riding |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch – Metric | Inch |

| | |
|---------------------------------------|--|
| Long Description | 4 Bolt Square Flange Block; 2-3/16" Bore; 7.2" Bolt Circle; 5-1/8" Bolt Spacing; 1 Pi |
| Other Features | Single Row Light Duty Wide Inner Race Has Flinger |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer Item Number | UCF211-203D1 |
| Weight / LBS | 7.9 |
| Nominal Bolt Circle Diameter Round | 7.2 Inch 182.9 Millimeter |
| D | 2.189 Inch 55.601 Millimeter |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Bolt Spacing | 5.125 Inch 130.175 Millimeter |
| d | 2.188 Inch 55.575 Millimeter |
| bore diameter: | 2.1875 in |
| radial dynamic load capacity: | 9750 lb |
| bolt center-to-center length: | 5.1250 in |
| radial static load capacity: | 6570 lb |
| overall length/diameter: | 6.3750 in |
| seal type: | Contact with Flinger |
| bore type: | Round |
| length through bore: | 2-19/64 in |
| duty type: | Light Duty |

| | |
|----------------------|----------------------------------|
| finish/coating: | Uncoated |
| mounting type: | Four-Bolt Flange |
| lubrication type: | Lubrication Fitting |
| housing material: | Cast Iron |
| series: | UCF2 |
| locking device: | Set Screw |
| standards met: | ISO, AFBMA |
| expansion type: | Non-Expansion Bearing (Fixed) |
| replacement bearing: | UC211-203D1 |