

# NSK FJL-1510L needle roller bearings

Welcome to the NSK FJL-1510L needle roller bearings 80 Bore Diameter (mm) online seller. 80x170x39 Size (mm)

Size (mm)	80x170x39
Bore Diameter (mm)	80
Outer Diameter (mm)	170
Width (mm)	39
d	80 mm
D	170 mm
B	39 mm
C	39 mm
r min.	2,1 mm
da min.	91 mm
Da max.	159 mm
ra max.	2 mm
Weight	4,31 Kg
Basic dynamic load rating (C)	89 kN
Basic static load rating (C0)	33 kN
(Grease) Lubrication Speed	3 600 r/min
(Oil) Lubrication Speed	4 300 r/min
Calculation factor (e)	0,22
Calculation factor (Y0)	3,1
Calculation factor (Y2)	4,5
SRI	10.83
Y3	2.9
hidYobi	1316

LangID	1
PCD	126.5
D_	170
Y2	4.5
SREX	0
cyl count	15
B_	39
hidTable	ecat_NSSAB
Oil rpm	4300
SRE	0
Y0	3.1
mass	4.2
ra	2
GRS rpm	3600
SRIX	0.08
groove inner	105.851
D_a	159
SRIN	0
C0	33
groove outer	148.441
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1
da	91
X2	0.65
e	0.22
yobi	1316
r	2.1

KBRG	1352
CAnG	8.187
cyl dia	20.638