

# NSK FWF-586440W needle roller bearings

LET 0.0 Inventory OUR NSK FWF-586440W needle roller bearings EXPERTS GET YOU THE NTN Manufacturer Name N/A Minimum Buy Quantity PARTS YOU NEED.

|                           |   |
|---------------------------|---|
| Inventory                 | 0.0   |
| Manufacturer Name         | NTN   |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 1.808   |
| EAN                       | 4547359234268   |
| Product Group             | M06110  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | Eccentric Collar  |
| Housing Style             | 2 Bolt Flange Block   |
| Rolling Element           | Ball Bearing  |
| Housing Material          | Cast Iron   |
| Expansion / Non-expansion | Non-expansion   |
| Mounting Bolts            | 25/64 Inch  |
| Relubricatable            | Yes   |
| Insert Part Number        | A-UEL202-010D1  |
| Seals                     | Single Lip Land Riding  |
| Housing Configuration     | 1 Piece Solid   |
| Pilot Configuration       | No Pilot  |
| Inch – Metric             | Inch  |
| Long Description          | 2 Bolt Flange Block; 5/8" Bore; 3" Bolt Circle; 3" Bolt Spacing; 1 Piece Solid; Eccen |

|                                       |   |
|---------------------------------------|---|
| Other Features                        | Single Row   Wide Inner Race<br>  Has Flinger   With Set<br>Screw |
| UNSPSC                                | 31171501  |
| Harmonized Tariff Code                | 8483.20.40.40   |
| Noun                                  | Bearing   |
| Keyword String                        | Flanged   |
| Manufacturer Item Number              | UELFLU-5/8  |
| Weight / LBS                          | 3.987   |
| d                                     | 0.625 Inch   15.875<br>Millimeter                                 |
| Nominal Bolt Circle Diameter<br>Round | 3 Inch   76 Millimeter  |
| Bolt Spacing                          | 3 Inch   76.2 Millimeter  |
| D                                     | 1.469 Inch   37.3 Millimeter                                      |
| Cartridge Pilot Depth                 | 0 Inch   0 Millimeter   |
| Cartridge Pilot Diameter              | 0 Inch   0 Millimeter   |
| bore diameter:                        | 0.6250 in   |
| seal type:                            | Contact with Flinger  |
| bolt center-to-center length:         | 3.0000 in   |
| length through bore:                  | 1-21/32 in  |
| overall length/diameter:              | 3.8438 in   |
| finish/coating:                       | Uncoated  |
| bore type:                            | Round   |
| lubrication type:                     | Lubrication Fitting   |
| mounting type:                        | Two-Bolt Flange   |
| series:                               | UELFLU  |
| housing material:                     | Cast Iron   |
| standards met:                        | ISO, AFBMA  |
| locking device:                       | Eccentric Collar  |

|                      |                               |
|----------------------|-------------------------------|
| replacement bearing: | A-UEL202-010D1                |
| expansion type:      | Non-Expansion Bearing (Fixed) |