

# NSK FWF-808630 needle roller bearings

NSK FWF-808630 needle roller bearings Warehouse offers car parts and car accessories. 140 Bore Diameter (mm) We sell discount online as 140x190x32 Size (mm) well as cheap machinery parts.

Size (mm)	140x190x32
Bore Diameter (mm)	140
Outer Diameter (mm)	190
Width (mm)	32
d	140 mm
D	190 mm
T	32 mm
B	32 mm
C	25 mm
ra1 max.	1,5 mm
a	34 mm
r min.	2 mm
r1 min.	1,5 mm
da min.	150 mm
Da min	177 mm
Da max.	181,5 mm
db max.	150 mm
Db min.	184 mm
ra max.	2 mm
Sa	6 mm
Sb	6 mm

Weight	2,51 Kg
Basic dynamic load rating (C)	200 kN
Basic static load rating (C0)	375 kN
(Grease) Lubrication Speed	1 700 r/min
(Oil) Lubrication Speed	2 200 r/min
Calculation factor (e)	0,36
Calculation factor (Y0)	0,92
d1	165 mm
rs min	2 mm
r1s min	1.5 mm
e	0.36
Y2	1.67
Y0	0.92
Mass	2.51 kg
ISO 355 reference	T2CC140
Dynamic load, C	200 kN
Rating life coefficient, A2	1
Static load, C0	375 kN
Fatigue limit load, Cu	39.3 kN
Nlim (oil)	2,200 rpm
Nlim (grease)	1,700 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.46 Hz
Characteristic rolling element frequency, BSF	13.56 Hz
Characteristic outer ring frequency, BPF0	16.72 Hz
Characteristic inner ring frequency, BRFI	19.28 Hz
da max	150 mm
db min	150 mm

Da max	181.5 mm
Db min	184 mm
Ca min	6 mm
Cb min	6 mm
ra max	2 mm
r1a max	1.5 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359529869
Product Group	B04336