

NSK HJ-223020+IR-182220 needle roller bearings

NSK HJ-223020+IR-182220 needle roller bearings TIMKEN
Manufacturer Name SEARCH – Whether it's agriculture or
construction 0.0 Inventory equipment your working on, N/A
Minimum Buy Quantity Has the you need.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	23 lb
EAN	0013992048011
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	LSE200BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row Light Duty With Support Wide Inner Ring
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	16.41
Bolt Spacing Minimum	0 Inch 0Millimeter
D	2.362 Inch 60 Millimeter
Actual Bolt Center to Center	8.4 Inch 214Millimeter
B	2.756 Inch 70 Millimeter
Nominal Bolt Center to Center	8.4 Inch 214 Millimeter
d	2 Inch 50.8 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Shaft Size	2 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	2 x M16
Dimension H	2.756 in
Dimension H1	1.0 in
Dimension H2	6.2 in
Dimension J	8.4 in
Dimension L	10.6 in
Dimension M	2.4 in
Housing Width	3.9 in
Cr – Dynamic Load Rating	18659 lbf
Cor – Static Load Rating	19558 lbf

Maximum Speed	4630 rpm
Note	This product line was formerly known as "Revolvo"