

NSK HR30222J tapered roller bearings

are a few brands N/A Minimum Buy Quantity you will find in our inventory. 0.0 Inventory Find NSK HR30222J tapered roller bearings to see what's in stock!

Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight	1.500 kg
EAN	4991893403428
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Outer Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	2 Rib Inner Ring Plain Outer Ring Cage on Inner Ring OD

Long Description	80MM Bore; Straight Bore Profile; 140MM Outside Diameter; 26MM Width; Steel Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	N216
Weight / LBS	3.31
d	3.15 Inch 80 Millimeter
D	5.512 Inch 140 Millimeter
B	1.024 Inch 26 Millimeter
Enclosure	Open
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	80 mm
Outside Ring Inside Diameter	125.3 mm
Fillet Radius/Chamfer	2 mm
r1	2 mm
Dynamic Load Rating	106,000 N
Static Load Rating	122,000 N
Limiting Speed – Grease	4,500 rpm
Limiting Speed – Oil	5,300 rpm
Radial Clearance	0.040 to 0.075 mm
da (min)	90 mm
db (min)	90 mm
db (max)	94 mm
dc (min)	97 mm
Da (max)	130 mm
Db (min)	130 mm

Db (max)	128 mm
ra (max)	2 mm
ra1 (max)	2 mm