NSK HR30309J tapered roller bearings

Various types and 0.0 Inventory sizes to accommodate your NSK HR30309J tapered roller bearings requirements.

| Inventory | 0.0 |
|---------------------------|--|
| Manufacturer Name | ASAHI BEARINGS |
| | |
| Minimum Buy Quantity | N/A |
| Weight | 17.978 |
| EAN | 0808250334438 |
| Product Group | M06110 |
| Number of Mounting Holes | 2 |
| Mounting Method | Eccentric Collar |
| Housing Style | 2 Bolt Pillow Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 7/8 Inch |
| Relubricatable | Yes |
| Insert Part Number | UG314-43 |
| Seals | Contact Seal |
| Housing Configuration | 1 Piece Solid |
| Inch — Metric | Inch |
| Other Features | Single Row Spherical Heavy Duty Has Slinger |
| Long Description | 2 Bolt Pillow Block; 2-11/16" Bore; 4-9/16" Base to Center Height; Eccentric Collar Mount; |

| UNSPSC | 31171511 |
|----------------------------------|--------------------------------|
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Weight / LBS | 36.51 |
| Nominal Bolt Center to Center | 12 Inch 305 Millimeter |
| В | 4.563 Inch 115.9 Millimeter |
| Bolt Spacing Maximum | 12.5 Inch 317.5Millimeter |
| d | 2.688 Inch 68.275 Millimeter |
| Actual Bolt Center to Center | 0 Inch OMillimeter |
| D | 3.626 Inch 92.1 Millimeter |
| Bolt Spacing Minimum | 11.5 Inch 292.1Millimeter |