

NSK NJ2326EM cylindrical roller bearings

Manufacturers of all are represented in our partial list of clients. Contact Gary for a complete 80 Bore Diameter (mm) NSK NJ2326EM cylindrical roller bearings list of clients and 80x100x10 Size (mm) projects.

Size (mm)	80x100x10
Bore Diameter (mm)	80
Outer Diameter (mm)	100
Width (mm)	10
d	80 mm
D	100 mm
B	10 mm
C	10 mm
rn	0,5 mm
a	1,7 mm
b	1,3 mm
r min.	0,6 mm
r θ max.	0,4 mm
D1	97,9 mm
da min.	84 mm
da max	84,5 mm
Da max.	96 mm
ra max.	0,6 mm
Weight	0,151 Kg
Basic dynamic load rating (C)	12,7 kN
Basic static load rating (C θ)	14,5 kN

(Grease) Lubrication Speed	6 000 r/min
(Oil) Lubrication Speed	7 100 r/min
SRI	2.88
hidYobi	6816N
LangID	1
ro	0.4
D_	100
SREX	0.015
B_	10
da min	84
hidTable	ecat_NSRDGB
Oil rpm	7100
SRE	2.88
mass	0.151
GRS rpm	6000
ra	0.6
SRIX	0.015
D_a	96
SRIN	-0.015
C0	14.5
fo	17.4
SREN	-0.015
DE_	95.556
Prod_Type3	DGBB_SR_N_OT
DA_	5.556
bomp	0
Z_	27
yobi	6816N
C_conv	12700

ALPHA_	0
SDM_	90
r	0.6
KBRG	6101
SBRG	18
DI_	84.444