

NSK NSA02901 needle roller bearings

What are the types of NSK NSA02901 needle roller bearings ?
Manufacturing Service 150x190x20 Size (mm) . Get Your Free,
Instant price, design review.

Size (mm)	150x190x20
Bore Diameter (mm)	150
Outer Diameter (mm)	190
Width (mm)	20
d	150 mm
D	190 mm
B	20 mm
C	20 mm
r min.	1,1 mm
da min.	156,5 mm
da max	160 mm
Da max.	183,5 mm
ra max.	1 mm
Weight	1,15 Kg
Basic dynamic load rating (C)	47,5 kN
Basic static load rating (C0)	58,5 kN
(Grease) Lubrication Speed	3 200 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.15
EAN	0029176645365

Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	150MM Bore; 190MM Outside Diameter; 20MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 I
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	2.5358
Outer Race Width	0.787 Inch 20 Millimeter
Bore	5.906 Inch 150 Millimeter
Outside Diameter	7.48 Inch 190 Millimeter
Inner Race Width	0 Inch 0 Millimeter
SRI	6.16
hidYobi	6830ZZ
LangID	1
D_	190
SREX	0.025

B_	20
da min	156.5
hidTable	ecat_NSRDGB
SRE	6.16
mass	1.15
GRS rpm	3200
ra	1
SRIX	0.025
D_a	183.5
SRIN	-0.025
C0	58.5
fo	17.1
SREN	-0.025
DE_	181.906
Prod_Type3	DGBB_SR_ZZ
DA_	11.906
bomp	0
Z_	24
yobi	6830ZZ
C_conv	47500
ALPHA_	0
SDM_	170
r	1.1
KBRG	6141
SBRG	18
DI_	158.094