

NSK NU 217 EM cylindrical roller bearings

NSK NU 217 EM cylindrical roller bearings Deal is your source for OEM and accessories. We sell Genuine at 140 mm d discount prices.

d	140 mm
D	210 mm
B	33 mm
rs min	2 mm
Radial clearance class	C3
Mass	3.35 kg
Dynamic load, C	110 kN
Static load, C ₀	109 kN
Fatigue limit load, C _u	3.75 kN
f ₀	15.9
N _{lim} (oil)	3,500 rpm
N _{lim} (grease)	3,000 rpm
Min operating temperature, T _{min}	-60 °C
Characteristic cage frequency, FTF	0.44 Hz
Characteristic rolling element frequency, BSF	8.36 Hz
Characteristic outer ring frequency, BPF ₀	7.06 Hz
Characteristic inner ring frequency, BRF ₀	8.94 Hz
da min	149 mm
Da max	201 mm
ra max	2 mm

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	4.08
EAN	4547359338324
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Brass
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	140MM Bore; 210MM Outside Diameter; 33MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6028L1C3
Weight / LBS	8.995
Outside Diameter	8.268 Inch 210 Millimeter
Bore	5.512 Inch 140 Millimeter

Outer Race Width	1.299 Inch 33 Millimeter
------------------	----------------------------