

# NSK RS-5018NR cylindrical roller bearings

Shop NSK RS-5018NR cylindrical roller bearings huge online discount inventory. and Import machinery parts your car needs with Free Shipping and Free 60x110x22 Size (mm) Extended Warranty.

Size (mm)	60x110x22
Bore Diameter (mm)	60
Outer Diameter (mm)	110
Width (mm)	22
d	60 mm
D	110 mm
B	22 mm
C	22 mm
rn	0,5 mm
a	3,28 mm
b	2,7 mm
f	2,46 mm
r min.	1,5 mm
r $\theta$ max.	0,6 mm
D1	106,81 mm
D2	116,6 mm
da min.	68 mm
da max	74,5 mm
Da max.	102 mm
ra max.	1,5 mm
Weight	0,783 Kg

Basic dynamic load rating (C)	52,5 kN
Basic static load rating (C0)	36 kN
(Grease) Lubrication Speed	5 600 r/min
(Oil) Lubrication Speed	7 100 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.79
EAN	0029176034732
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	60MM Bore; 110MM Outside Diameter; 22MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6212NR
Weight / LBS	0.775
Outer Race Width	0.866 Inch   22 Millimeter

Outside Diameter	4.331 Inch   110 Millimeter
Bore	2.362 Inch   60 Millimeter
SRI	8.22
hidYobi	6212NR
LangID	1
ro	0.6
D_	110
SREX	0.03
B_	22
da min	68
hidTable	ecat_NSRDGB
Oil rpm	7100
SRE	8.22
Cy	5.4
mass	0.783
GRS rpm	5600
ra	1.5
SRIX	0.03
D_a	102
SRIN	-0.03
C0	36
fo	14.3
SREN	-0.03
DE_	102.375
Prod_Type3	DGBB_SR_NR_OT
DA_	15.875
bomp	0
Z_	10
yobi	6212NR

Dx	118
C_conv	52500
ALPHA_	0
SDM_	86.5
r	1.5
KBRG	6101
SBRG	2
DI_	70.625