

NTN 230/1120BK spherical roller bearings

LET OUR NTN 230/1120BK spherical roller bearings EXPERTS GET YOU THE PARTS YOU NEED. 300x420x76 Size (mm)

Size (mm)	300x420x76
Bore Diameter (mm)	300
Outer Diameter (mm)	420
Width (mm)	76
d	300 mm
D	420 mm
T	76 mm
B	76 mm
C	57 mm
a	79,9 mm
r min.	4 mm
r1 min.	3 mm
da min.	321 mm
Da min	387 mm
Da max.	406 mm
db max.	324 mm
Db min.	405 mm
ra max.	3 mm
rb max.	2,5 mm
Weight	31,4 Kg
Basic dynamic load rating (C)	36,8 kN
Basic static load rating (C0)	2100 kN
(Grease) Lubrication Speed	710 r/min

(Oil) Lubrication Speed	950 r/min
Calculation factor (e)	0,39
Calculation factor (Y0)	0,84
LangID	1
outer r	3
D_	420
TC-BET22	10
TC-BET21	2
TC-BET23	0
inner r	4
mass	31.4
GRS rpm	710
D_b	405
Cr	103000
TC-RA	792.9
DE_	389.713
T-ALP23	0
db	324
T-ALP22	30
Prod_Type3	TRBSR_MD_A
da	321
T-ALP21	29
Iso	3FD
ALPHA_	14.75
SDM_	361.592
SBRG	29
D_a2	387
hidYobi	HR32960J
Y1	1.5

D_a1	406
B_	76
hidTable	ecat_NSTPRM
Oil rpm	950
C0r	214000
Y0	0.84
TC-SLR	55
inner ra	3
outer rb	2.5
C0	2100
Sa	13
Sb	19
e	0.39
DA_	28.944
Z_	35
C_	57
yobi	HR32960J
TC-DA1	29.981
TC-DA2	27.907
KBRG	3111
DI_	333.471