

# NTN 23240B spherical roller bearings

Request A Quote 25x37x30 Size (mm) For Your Special 25 Bore Diameter (mm) NTN 23240B spherical roller bearings Needs Today! Free Quotes. ISO 9001 certified.

Size (mm)	25x37x30
Bore Diameter (mm)	25
Outer Diameter (mm)	37
Width (mm)	30
Fw	25 mm
D	37 mm
C – 30 mm / Tolerance: -0,25	30 mm / Tolerance: 0,25
C1 – 11 mm / Tolerance: -0,2	11 mm / Tolerance: 0,2
C2	9,5 mm
D2 max	43,2 mm
da	37,7 mm
dw	25 mm / Tolerance: E8
ra max	0,6 mm
rmin	0,6 mm
m	132 g / Weight
Cr	21300 N / Dynamic load rating (radial)
C0r	30500 N / Static load rating (radial)
Ca	19600 N / Dynamic load rating (axial)

C0a	37500 N / Static load rating (axial)
Cur	5300 N / Fatigue limit load, radial
Cua	1790 N / Fatigue limit load, axial
nG	6000 1/min / Limiting speed
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.158
EAN	4012802702941
Product Group	B00234
Rolling Element	Combination – Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Other Features	With Grease Retaining Cap
Long Description	25MM Bore 1; 25MM Bore 2; 37MM Outside Diameter; 30MM Height; Combination – Needle Roller and Thrust
Inch – Metric	Metric
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing

Keyword String	Combination
Manufacturer Item Number	NKX25Z
Weight / LBS	0.276
Bore 2	0.984 Inch   25 Millimeter
Bore 1	0.984 Inch   25 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Height	1.181 Inch   30 Millimeter
Outside Diameter	1.457 Inch   37 Millimeter