

# NTN 2RT11213 thrust roller bearings

Request A Quote For Your Special NTN 2RT11213 thrust roller bearings Needs Today! Free Quotes. ISO 9001 50 Bore Diameter (mm) certified.

Bore Diameter (mm)	50
d	50 mm
V	116 mm
U	66,2 mm
Thread (Q)	Rp1/8
d3	69 mm
A	39 mm
A1	13 mm
B1	62,8 mm
H	190 mm
J	157 mm
L	116 mm
N	18 mm
A2	28 mm
Weight	2,21 Kg
Basic dynamic load rating (C)	35 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	2.682
EAN	4012802802498
Product Group	M06110

Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	18 Millimeter
Relubricatable	Yes
Insert Part Number	GE50-KLLHB
Seals	Double Labyrinth
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 50MM Bore; 157MM Bolt Circle; 157MM Bolt Spacing; 1 Piece Solid; Eccentric Coll
Other Features	Single Row   Radial   Metric   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	LCJT50
Weight / LBS	5.513
Nominal Bolt Circle Diameter Round	6.2 Inch   157 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Bolt Spacing	6.181 Inch   157 Millimeter
Bore	1.969 Inch   50 Millimeter

Length Thru Bore	2.469 Inch   62.7 Millimeter
------------------	------------------------------