

NTN 413134 tapered roller bearings

LET OUR NTN 413134 tapered roller bearings EXPERTS GET YOU THE PARTS YOU 0.0 Inventory NEED.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	766 lb
EAN	0013992055453
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	30 Millimeter
Relubricatable	Yes
Insert Part Number	LSM300BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Metric
Other Features	Single Row Light Duty With Support Wide Inner Ring
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing

Keyword String	Pillow Block
Weight / LBS	657.67
Bolt Spacing Minimum	0 Inch 0Millimeter
D	5.63 Inch 143 Millimeter
B	13.504 Inch 343 Millimeter
Actual Bolt Center to Center	23 Inch 584Millimeter
d	11.811 Inch 300 Millimeter
Nominal Bolt Center to Center	23 Inch 584 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Shaft Size	300 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Four-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	4 x M30
Dimension H	13.504 in
Dimension H1	2.0 in
Dimension H2	27.0 in
Dimension J	23.0 in
Dimension K	7.0 in
Dimension L	32.0 in
Dimension M	10.0 in
Housing Width	9.8 in
Cr – Dynamic Load Rating	208848 lbf
Cor – Static Load Rating	374307 lbf
Ca – Axial Load Rating	17580 lbf
Maximum Speed	650 rpm

Note

This product line was formerly known as "Revolvo"