

NTN 430312U tapered roller bearings

With over 10170 full-service stores, our NTN 430312U tapered roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your Mounted Bearing Engineering Group hard-earned dollars.

Engineering Group	Mounted Bearing
Shaft Size	2-1/4 in
Shaft Size Type	Imperial
Full Timken Part Number	QAACW11A204SB
Locking Style	Double Concentric
Weight	13 lb
Housing Style	Piloted Flange Cartridge
UPC Code	0883450017008
Dimension BC	6.00 in
Dimension C	3.250 in
Dimension E	4.24 in
Dimension B Fix	1.53 in
Dimension B Exp	1.61 in
Dimension F	7.13 in
Dimension D	4.99 in
Dimension H	0.56 in
Dimension J (Bolt Size)	0.5 in
Dimension M	2 in
Dimension G	5.000 in
Dimension L Exp	3.24 in

Dimension L Fix	3.16 in
Dimension N	1.63 in
Dimension RAA	0.58 in
Dimension SAA	4 in
C0 – Static Load	31900 lb
C – Dynamic Load (Basic)	31400 lb
e – Geometry Factor	0.23
Y1 – Geometry Factor	2.95
Y2 – Geometry Factor	4.40
Oil Lubrication – M/N Seal	2200 rpm
Oil Lubrication – T Seal	3800 rpm
Oil Lubrication – B/C/O Seal	1600 rpm
Grease Lubrication – M/N Seal	2200 rpm
Grease Lubrication – T Seal	3200 rpm
Grease Lubrication – B/C/O Seal	1600 rpm
Float	0.050 in
Shaft Tolerance	0.0015 in
Eng Internal Radial Clearance – Min	0.0016
Eng Internal Radial Clearance – Max	0.0026
Pre Install Clearance Min	0.0016 in
Pre Install Clearance Max	0.0026 in