

NTN 4T-15103/15245 tapered roller bearings

Can't 0.0 Inventory find what SKF Manufacturer Name you're N/A Minimum Buy Quantity looking for NTN 4T-15103/15245 tapered roller bearings ? Our expert Representatives be in contact with you shortly!

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.75
EAN	7316577108470
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	35 Degree 4 Point
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	90MM Bore; 160MM Outside Diameter; 30MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Ba

Other Features	Split Inner Race
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	QJ 218 N2MA
Weight / LBS	6.054
D	160 mm
d	90 mm
B	30 mm
inside diameter:	90 mm
precision rating:	ABEC 1 (ISO Class Normal)
outside diameter:	160 mm
cage material:	Brass
overall width:	30 mm
maximum rpm:	7000 RPM
internal clearance:	C0
finish/coating:	Uncoated
closure type:	Open
outer ring width:	30 mm
radial dynamic load capacity:	186 kN
fillet radius:	2 mm
radial static load capacity:	200 kN
series:	QJ
d1 ≈	114 mm
D1 ≈	136 mm
a	88 mm
h	8.1 mm
b	6.5 mm

r ₀	1 mm
r _{1,2} min.	2 mm
d _a min.	101 mm
D _a max.	149 mm
r _a max.	2 mm
Basic dynamic load rating C	186 kN
Basic static load rating C ₀	200 kN
Fatigue load limit P _u	7.65 kN
Limiting speed	7000 r/min
Calculation factor A	0.106
Calculation factor e	0.95
Calculation factor X	0.6
Calculation factor Y ₀	0.58
Calculation factor Y ₁	0.66
Calculation factor Y ₂	1.07
Mass bearing	2.75 kg