

# NTN 5S-2LA-HSE018CG/GNP42 angular contact ball bearings

NTN 5S-2LA-HSE018CG/GNP42 angular contact ball bearings 35 mm d SEARCH – Whether it's agriculture or construction equipment your working 35 Bore Diameter (mm) on, Has the 92 mm V you need.

Bore Diameter (mm)	35
d	35 mm
V	92 mm
U	50,5 mm
Thread (Q)	Rp1/8
d3	51 mm
A	30,5 mm
A1	12,5 mm
B1	39 mm
H	155 mm
J	130 mm
L	92 mm
N	14 mm
A2	21 mm
Weight	1,13 Kg
Basic dynamic load rating (C)	25,5 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4012802064452

Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	14 Millimeter
Relubricatable	Yes
Insert Part Number	GRAE35NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 35MM Bore; 130MM Bolt Circle; 130MM Bolt Spacing; 1 Piece Solid; Eccentric Coll
Other Features	Single Row   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	PCJT35N
Weight / LBS	2.867
Bore	1.378 Inch   35 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Bolt Spacing	5.118 Inch   130 Millimeter
Length Thru Bore	1.531 Inch   38.9 Millimeter

Nominal Bolt Circle Diameter  
Round

5.1 Inch | 130 Millimeter