

NTN 7011G/GMUP-14/6KQTM angular contact ball bearings

Request A Quote For Your Special 0.0 Inventory NTN 7011G/GMUP-14/6KQTM angular contact ball bearings Needs Today! Free Quotes. ISO 9001 N/A Minimum Buy Quantity certified.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	1.631 lb
EAN	0087796057005
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	29/64 Inch
Relubricatable	Yes
Insert Part Number	GRA014RRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch

Long Description	2 Bolt Flange Block; 7/8" Bore; 3.9" Bolt Circle; 3-29/32" Bolt Spacing; 1 Piece Soli
Other Features	Single Row Normal Duty Narrow Inner Race With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	VCJT 7/8
Weight / LBS	1.63
Bolt Spacing	3.906 Inch 99.2 Millimeter
Nominal Bolt Circle Diameter Round	3.9 Inch 99 Millimeter
D	1.219 Inch 30.96 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
d	0.875 Inch 22.225 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size d	7/8 in
Bearing Type	Ball Bearing
Dimension E	1.701 in
Inside Ring Outside Diameter	0.941 in
Series	Standard
Seal Type	Molded Shroud
Housing Width A	27.9 mm
Total Length H	123.8 mm
Total Height L	69.8 mm

Bolt Hole Spacing J	99.2 mm
Bolt Hole Size N	11.5 mm
Flange Thickness A1	11.1 mm
Center of Bearing from Housing End A2	19.8 mm
Inside Ring Width B	31.00 mm
Center of Bearing from Bearing End S	19.8 mm
Static Load Rating	1750 lbf
Dynamic Load Rating	3490 lbf