

# NTN 7911C angular contact ball bearings

Advance NTN 7911C angular contact ball bearings is your source for quality and N/A Minimum Buy Quantity accessories. shop online for home delivery or pick up in one of our 0.0 Inventory 10000 .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.22
EAN	7316570477771
Product Group	B04286
Stud Profile	Female
Mounting Thread	M16 X 1.5
Thread Direction	Right Hand
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Bronze
Relubricatable	Yes
Enclosure	Open
Other Features	3 Piece   Zinc Plated Outer
Long Description	16MM Bore; 15.5MM House Width; Female Stud Profile; M16 X 1.5; Right Hand Thread Direction; Spherica
Inch – Metric	Metric
UNSPSC	31171508

Harmonized Tariff Code	8483.30.80.55
Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer Item Number	SIKAC 16 M/VZ019
Weight / LBS	0.485
Ball Width	0.827 Inch   21 Millimeter
Housing Width	0.61 Inch   15.5 Millimeter
d	16 mm
bore diameter:	16 mm
race material:	Bronze
misalignment angle:	15 °
radial static load capacity:	29 kN
shank thread length:	28 mm
operating temperature range:	-30 to +180 °F
rod end type:	Female Threaded
head diameter:	43 mm
shank thread size:	M16x1.5
head width:	15.5 mm
thread direction:	Right Hand
ball width:	21 mm
lubrication type:	With Lubrication Fitting
length to ball center:	64 mm
housing material:	Zinc-Plated Steel
standards met:	ISO 12240-4:1998, DIN 71412:1987, ISO 8139-4:1998
ball material:	Steel
d2 max.	43 mm
B	21 mm

G	M 16×1.5
C1 max.	15.5 mm
h1	64 mm
$\alpha$	15 °
dk	28.5 mm
d3 ≈	22 mm
d4 max.	29 mm
l3 min.	24 mm
l4 max.	86 mm
l5 ≈	8 mm
l7 min.	21 mm
w	22 mm
r1 min.	0.3 mm
Basic static load rating C0	29 kN
Specific dynamic load factor K	50 N/mm <sup>2</sup>
Material constant KM	330
Mass rod end	0.22 kg