

# NTN DE2812 angular contact ball bearings

Offer High 69,85 Bore Diameter (mm) Quality Brand 69,85 mm d NTN DE2812 angular contact ball bearings .Contact Us Online to Get Best Quote.

|                               |          |
|-------------------------------|----------|
| Bore Diameter (mm)            | 69,85    |
| d                             | 69,85 mm |
| s1                            | 46,1 mm  |
| A                             | 71,6 mm  |
| A1                            | 48 mm    |
| B                             | 73,1 mm  |
| G                             | 20 mm    |
| H                             | 166 mm   |
| H1                            | 82,6 mm  |
| H2                            | 32,8 mm  |
| J                             | 215,9 mm |
| L                             | 279 mm   |
| N                             | 35 mm    |
| N1                            | 22,2 mm  |
| Weight                        | 8 Kg     |
| Basic dynamic load rating (C) | 66,3 kN  |
| Basic static load rating (C0) | 49 kN    |
| Fatigue load limit (Pu)       | 2,04     |
| Inventory                     | 0.0      |
| Manufacturer Name             | SKF      |
| Minimum Buy Quantity          | N/A      |
| Weight / Kilogram             | 8.007    |

|                              |  |
|------------------------------|--|
| EAN                          | 7316571333724  |
| Product Group                | M06110   |
| Number of Mounting Holes     | 2  |
| Mounting Method              | Set Screw  |
| Housing Style                | 2 Bolt Pillow Block  |
| Rolling Element              | Ball Bearing   |
| Housing Material             | Cast Iron  |
| Expansion / Non-expansion    | Non-expansion  |
| Mounting Bolts               | 3/4 Inch   |
| Relubricatable               | Yes  |
| Insert Part Number           | YAR 215-212-2F   |
| Seals                        | M Seal   |
| Housing Configuration        | 1 Piece Solid  |
| Inch – Metric                | Inch   |
| Other Features               | Single Row   Standard Duty   Wide Inner Race   Y Bearing   Has Flinger                     |
| Long Description             | 2 Bolt Pillow Block; 2-3/4" Bore; 3-1/4" Base to Center Height; Set Screw Mount; Ball Bear |
| UNSPSC                       | 31171511   |
| Harmonized Tariff Code       | 8483.20.40.40  |
| Noun                         | Bearing  |
| Keyword String               | Pillow Block   |
| Manufacturer Item Number     | SY 2.3/4 TF  |
| Weight / LBS                 | 16.5   |
| Actual Bolt Center to Center | 0 Inch   0Millimeter   |
| Bore                         | 2.75 Inch   69.85 Millimeter   |
| Length Thru Bore             | 2.5 Inch   63.5 Millimeter   |

|                               |                              |
|-------------------------------|------------------------------|
| Nominal Bolt Center to Center | 8.9 Inch   226 Millimeter    |
| Bolt Spacing Minimum          | 8 Inch   203.2Millimeter     |
| Base to Center Height         | 3.25 Inch   82.55 Millimeter |
| Bolt Spacing Maximum          | 9 Inch   228.6Millimeter     |