

NTN HK3020LL needle roller bearings

Welcome to 0.0 Inventory the NTN HK3020LL needle roller bearings online seller.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	11.13 lb
EAN	0087796111608
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	43/64 Inch
Relubricatable	Yes
Insert Part Number	G1206KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-3/8" Bore; 7.9" Bolt Circle; 5-5/8" Bolt Spacing; 1 Pie

Other Features	Single Row Normal Duty With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RCJ 2 3/8
Weight / LBS	11.13
d	2.375 Inch 60.325 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	1.484 Inch 37.7 Millimeter
Bolt Spacing	5.625 Inch 142.88 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	7.9 Inch 200 Millimeter
Shaft Size d	2 3/8 in
Dimension D	5.374 in
Dimension E	3.213 in
Inside Ring Outside Diameter	3.291 in
Series	Industrial
Seal Type	Shroud Seal
Total Length L	174.6 mm
Housing Width A	1.937 in
Bolt Hole Spacing J	142.9 mm
Bolt Hole Size N	16 mm
Flange Thickness A1	17.5 mm
Center of Bearing from Housing End A2	34.8 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm

Bolt Size	M16
Center of Bearing from Bearing End S	34.8 mm
Static Load Rating	8080 lbf
Dynamic Load Rating	13100 lbf