

# NTN HUB182-4 angular contact ball bearings

NTN HUB182-4 angular contact ball bearings, Units and Housings CAD models , 20 Bore Diameter (mm) Manufacturing Service . Get Your 20x52x15 Size (mm) Free.

Size (mm)	20x52x15
Bore Diameter (mm)	20
Outer Diameter (mm)	52
Width (mm)	15
d	20 mm
D	52 mm
B	15 mm
C	15 mm
Angle ( $\alpha$ )	40 °
a	22.6 mm
r min.	1.1 mm
r1 min.	0.6 mm
da min.	27 mm
Da max.	45 mm
ra max.	1 mm
Weight	0.150 Kg
(Grease) Lubrication Speed	13 000 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0605790258534

Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 15MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Bal
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Outside Diameter	2.047 Inch   52 Millimeter
Bore	0.787 Inch   20 Millimeter
Width	0.591 Inch   15 Millimeter
Bearing No.	7304B
r(min)	1.1
r1(min)	0.6
Cr	21.7
C0r	9.65
Cu	0.680

f <sub>0</sub>	—
Grease lub.	10000
Oil lub.	13000
a(mm)	22.6
da(min)	27
Da(max)	45
ra(max)	1
(Refer.) Mass (kg)	0.150