

# NTN K18×24×20 needle roller bearings

What are the types of 0.0 Inventory TIMKEN Manufacturer Name NTN K18×24×20 needle roller bearings ? Manufacturing Service . Get Your Free, Instant price, design review.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	2.07 lb
EAN	0087796265820
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	10 Millimeter
Relubricatable	Yes
Insert Part Number	GYE25KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric

Long Description	4 Bolt Square Flange Block; 25MM Bore; 99MM Bolt Circle; 69.8MM Bolt Spacing; 1 Piece Solid; Set Scr
Other Features	Single Row   Normal Duty   Wide Inner Race   Corrosion Resistant   Powder Coated Epoxy Finish
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	YCJ 25 SGT
Weight / LBS	2.136
Cartridge Pilot Diameter	0 Inch   0 Millimeter
D	1.343 Inch   34.1 Millimeter
d	0.984 Inch   25 Millimeter
Nominal Bolt Circle Diameter Round	3.9 Inch   99 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Bolt Spacing	2.748 Inch   69.8 Millimeter
Shaft Size d	0.984 in
Dimension D	2.563 in
Dimension E	1.575 in
Inside Ring Outside Diameter	1.334 in
Series	Industrial
Seal Type	Shroud Seal
Total Length L	95.2 mm
Housing Width A	1.098 in
Bolt Hole Size N	10 mm

Flange Thickness A1	12.70 mm
Center of Bearing from Housing End A2	19.4 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Total Height	95.2 mm
Bolt Size	M10
Center of Bearing from Bearing End S	14.3 mm
Static Load Rating	1750 lbf
Dynamic Load Rating	3490 lbf