

# NTN K40×47×18 needle roller bearings

Our highly-skilled and factory-trained service experts have the resources to help you with all your NTN K40×47×18 needle roller bearings needs – including routine maintenance, major repairs, 0.0 Inventory warranty service, and N/A Minimum Buy Quantity equipment inspections.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.03
EAN	4547359030211
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 9   ISO P2
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Inner Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Mounting Arrangement	Universal
Flush Ground	Yes
Inch – Metric	Metric
Other Features	Single Row   Angular Contact   High Speed

Long Description	15MM Bore; 32MM Outside Diameter; 9MM Width; Open Enclosure; ABEC 9   ISO P2 Precision; Steel Ball M
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer Item Number	BNT002/GNP2
Weight / LBS	0.066
d	0.591 Inch   15 Millimeter
D	1.26 Inch   32 Millimeter
B	0.354 Inch   9 Millimeter
bore diameter:	15 mm
radial static load capacity:	2220 N
outside diameter:	32 mm
operating temperature range:	-40 to 120 °C
overall width:	9 mm
cage material:	Phenolic Resin
contact angle:	15 °
maximum rpm:	91500 rpm
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
bore type:	Round
precision rating:	ISO Class 2
closure type:	Open
fillet radius:	0.3 mm
snap ring included:	Without Snap Ring
weight:	0.030 kg
bearing material:	High Carbon Chrome Steel

manufacturer product page:	<a href="#">Click here</a>
radial dynamic load capacity:	4750 N