

NTN KXC140 angular contact ball bearings

NTN KXC140 angular contact ball bearings Product Brochures , 460 Outer Diameter (mm) Manufacturing Service . Get Your Free. 340x460x37.5 Size (mm)

Size (mm)	340x460x37.5
Bore Diameter (mm)	340
Outer Diameter (mm)	460
Width (mm)	37,5
d	340 mm
D	460 mm
C	37,5 mm
H	73 mm
d1	445 mm
r1 min.	3 mm
r2 min.	3 mm
s	183 mm
B	43 mm
B1	69 mm
D1	395 mm
da min.	400 mm
Da max.	422 mm
ra max.	2.5 mm
Weight	33,5 Kg
Basic dynamic load rating (C)	1130 kN
Basic static load rating (C0)	5400 kN
Fatigue load limit (Pu)	480

Reference speed	850 r/min
Limiting speed	1300 r/min
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	38.634
EAN	7316570016604
Product Group	B04311
Rolling Element	Spherical Roller Bearing
Self Aligning	Yes
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Other Features	Single Row
Long Description	340MM Bore 1; 395MM Bore 2; 460MM Outside Diameter; 73MM Height; Spherical Roller Bearing; Single Di
Inch – Metric	Metric
UNSPSC	31171507
Harmonized Tariff Code	8482.30.00.40
Noun	Bearing
Keyword 3	Spherical
Keyword String	Thrust Roller Spherical
Manufacturer Item Number	29268
Weight / LBS	73.855
Outside Diameter	18.11 Inch 460 Millimeter

Height	2.874 Inch 73 Millimeter
Bore 2	15.551 Inch 395 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 1	13.386 Inch 340 Millimeter
d1 ≈	445 mm
D1 ≈	395 mm
r1,2 min.	3 mm
Basic dynamic load rating C	1130 kN
Basic static load rating C0	5400 kN
Fatigue load limit Pu	480 kN
Minimum axial load factor A	2.8
Mass bearing	33.5 kg