

NTN NK26X35X25.5 needle roller bearings

LET OUR NTN NK26X35X25.5 needle roller bearings EXPERTS 160x220x28 Size (mm) GET YOU 220,000 Outer Diameter (mm) THE 160,000 Bore Diameter (mm) PARTS YOU NEED.

Size (mm)	160x220x28
Bore Diameter (mm)	160,000
Outer Diameter (mm)	220,000
Width (mm)	28,000
d	160,000 mm
D	220,000 mm
B	28,000 mm
C	28,000 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359664676
Product Group	B00308
Enclosure	1 Metal Shield
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium

Inch – Metric	Metric
Long Description	160MM Bore; 220MM Outside Diameter; 28MM Outer Race Width; 1 Metal Shield; Ball Bearing; ABEC 1 IS
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6932Z
Weight / LBS	5.754
Outside Diameter	8.661 Inch 220 Millimeter
Outer Race Width	1.102 Inch 28 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	6.299 Inch 160 Millimeter
bore diameter:	160 mm
precision rating:	ISO Class 0
outside diameter:	220 mm
finish/coating:	Uncoated
overall width:	28 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Single Shield
inner ring width:	28 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	28 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	2800 rpm

internal clearance:	CN
maximum rpm (oil):	3300 rpm
operating temperature range:	-40 to 120 °C
fillet radius:	2 mm
dynamic load capacity:	87000 N
manufacturer product page:	Click here
static load capacity:	96000 N