

NTN NK30X55X21 needle roller bearings

What is NTN NK30X55X21 needle roller bearings in mechanical engineering? Manufacturing 35x72x34 Size (mm) Service . Upload your CAD file for an instant.

Size (mm)	35x72x34
Bore Diameter (mm)	35,000
Outer Diameter (mm)	72,000
Width (mm)	34
d	35,000 mm
D	72,000 mm
B	34 mm
C	17 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.377
EAN	4547359021851
Product Group	M06110
Inner Race Profile	Narrow Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Contour Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No

Long Description	35MM Bore; Narrow Inner Ring; Ball Bearing; 34MM Length Thru Bore; 17MM Outer Race Width; 72MM Outsi
Inch – Metric	Metric
Other Features	Single Row Light Duty Steel Cage Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	AS207D1
Weight / LBS	0.838
Bore	1.378 Inch 35 Millimeter
Outside Diameter	2.835 Inch 72 Millimeter
Outer Race Width	0.669 Inch 17 Millimeter
Length Thru Bore	1.339 Inch 34 Millimeter
bore diameter:	35 mm
fillet radius:	1.5 mm
outside diameter:	72 mm
radial dynamic load capacity:	25700 N
outer ring width:	17 mm
radial static load capacity:	15300 N
inner ring width:	34 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	4200 RPM
duty type:	Standard Duty

seal type:	Contact
overall width:	34 mm
series:	AS2
operating temperature range:	-40 to 120 °C
manufacturer product page:	Click here