

# NTN NN3088KC1NAP4 cylindrical roller bearings

NTN NN3088KC1NAP4 cylindrical roller bearings SEARCH – Whether 420 Outer Diameter (mm) it's agriculture or 200x420x80 Size (mm) construction equipment your working on, Has the you need.

Size (mm)	200x420x80
Bore Diameter (mm)	200
Outer Diameter (mm)	420
Width (mm)	80
d	200 mm
Fw	258 mm
D	420 mm
B	80 mm
C	80 mm
r min.	5 mm
r1 min.	5 mm
da min.	220 mm
Da max.	400 mm
db max.	252 mm
db min	220 mm
ra max.	4 mm
rb max.	4 mm
S	1,2 mm
Db max	400 mm
Weight	57,1 Kg
Basic dynamic load rating (C)	1140 kN
Basic static load rating (C0)	1450 kN

(Grease) Lubrication Speed	1300 r/min
hidYobi	NJ340EM
LangID	1
D_	420
Macha rpm	2600
B_	80
hidTable	ecat_NSCLDR
Oil rpm	1600
rb	4
mass	57
GRS rpm	1300
ra	4
db max	252
TSR rpm	1500
C0	1450
DE_	370
Prod_Type3	CRB_SR_NJ
da	220
DA_	56
Z_	14
D_a max	400
yobi	NJ340EM
dd min	283
C_conv	1140000
ALPHA_	0
SDM_	314
r	5
dc min	263
KBRG	4155

SBRG	3
r1	5
DI_	258