

# NTN NU2220E cylindrical roller bearings

NTN NU2220E cylindrical roller bearings manufacturer and global supplier of reliable ball 0.0 Inventory and roller ... NTN NU2220E cylindrical roller bearings Industries Products Manufacturing N/A Minimum Buy Quantity & NTN Manufacturer Name Engineering and Agricultural Bearings designed to meet the unique requirements of our targeted industries.

|                                 |                 |
|---------------------------------|-----------------|
| Inventory                       | 0.0             |
| Manufacturer Name               | NTN             |
| Minimum Buy Quantity            | N/A             |
| Weight                          | 0.299           |
| EAN                             | 4547359536881   |
| Product Group                   | B00152          |
| Enclosure                       | Open            |
| Flush Ground                    | No              |
| Rolling Element                 | Ball Bearing    |
| Number of Rows of Balls         | Double Row      |
| Precision Class                 | ABEC 1   ISO P0 |
| Maximum Capacity / Filling Slot | No              |
| Snap Ring                       | Yes             |
| Cage Material                   | Steel           |
| Contact Angle                   | 30 Degree       |
| Internal Clearance              | C0-Medium       |
| Number of Bearings              | 1 (Single)      |
| Inch – Metric                   | Metric          |

|                              |  |
|------------------------------|--|
| Long Description             | 30MM Bore; 62MM Outside Diameter; 23.8MM Width; Open; No Flush Ground; Ball Bearing; Double Row of B |
| UNSPSC                       | 31171531   |
| Harmonized Tariff Code       | 8482.10.50.28  |
| Noun                         | Bearing  |
| Keyword String               | Angular Contact  |
| Manufacturer Item Number     | 5206NR   |
| Weight / LBS                 | 0.67   |
| d                            | 1.181 Inch   30 Millimeter   |
| D                            | 2.441 Inch   62 Millimeter   |
| B                            | 0.937 Inch   23.8 Millimeter   |
| bore diameter:               | 30 mm  |
| radial static load capacity: | 21100 N  |
| outside diameter:            | 62 mm  |
| operating temperature range: | -40 to 120 °C  |
| overall width:               | 0.9375 in  |
| cage material:               | Steel  |
| contact angle:               | 25 °   |
| maximum rpm:                 | 9500 rpm   |
| row type & fill slot:        | Double-Row Non-Fill Slot   |
| finish/coating:              | Uncoated   |
| bore type:                   | Round  |
| precision rating:            | Class 0  |
| closure type:                | Open   |
| fillet radius:               | 1 mm   |
| snap ring included:          | With Snap Ring   |
| weight:                      | 0.303 kg   |
| bearing material:            | High Carbon Chrome Steel   |

|                               |                            |
|-------------------------------|----------------------------|
| manufacturer product page:    | <a href="#">Click here</a> |
| radial dynamic load capacity: | 29600 N                    |