## NTN NUP1013 cylindrical roller bearings

Find the discount NTN NUP1013 cylindrical roller bearings online TIMKEN Manufacturer Name you need . We 0.0 Inventory offer … If you check out our large selection of NTN NUP1013 cylindrical roller bearings once .

| Inventory                 | 0.0  |
|---------------------------|--|
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 557 lb   |
| EAN                       | 0013992059871  |
| Product Group             | B04144   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | Clamp Collar   |
| Housing Style             | 4 Bolt Pillow Block  |
| Rolling Element           | Cylindrical Roller Bearing                                   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Expansion  |
| Mounting Bolts            | 30 Millimeter  |
| Relubricatable            | Yes  |
| Insert Part Number        | MSE615BX   |
| Seals                     | Triple Lip Labyrinth   |
| Housing Configuration     | 2 Piece Split  |
| Inch — Metric             | Inch   |
| Other Features            | Single Row   Medium Duty   With<br>Support   Wide Inner Ring |
| UNSPSC                    | 31171511   |

| Harmonized Tariff Code        | 8483.20.40.80                               |
|-------------------------------|---|
| Noun                          | Bearing                                     |
| Keyword String                | Pillow Block                                |
| Weight / LBS                  | 466.33                                      |
| d                             | 6.938 Inch   176.225 Millimeter             |
| Bolt Spacing Maximum          | 0 Inch   OMillimeter                        |
| Actual Bolt Center to Center  | 18 Inch   458Millimeter                     |
| В                             | 10.748 Inch   273 Millimeter                |
| Bolt Spacing Minimum          | 0 Inch   OMillimeter                        |
| D                             | 5.512 Inch   140 Millimeter                 |
| Nominal Bolt Center to Center | 18 Inch   458 Millimeter                    |
| Shaft Size                    | 6-15/16 in                                  |
| Seal Type                     | Aluminium Triple Labyrinth                  |
| Bearing Type                  | Split Cylindrical Expansion Type            |
| Support Type                  | Four-Bolt Plummer Block                     |
| Series Type                   | Medium Series                               |
| Pillow/Plummer Block Style    | Split Cylindrical Housed Unit —<br>Standard |
| Bolt Size                     | 4 x M30                                     |
| Dimension H                   | 10.748 in                                   |
| Dimension H1                  | 1.7 in                                      |
| Dimension H2                  | 21.5 in                                     |
| Dimension J                   | 18.0 in                                     |
| Dimension K                   | 6.5 in                                      |
| Dimension L                   | 25.0 in                                     |
| Dimension M                   | 9.5 in                                      |
| Housing Width                 | 9.5 in                                      |
| Cr — Dynamic Load Rating      | 208398 lbf                                  |

| Cor — Static Load Rating | 305066 lbf  |
|--------------------------|---|
| Maximum Speed            | 1120 rpm  |
| Note                     | This product line was formerly known as "Revolvo" |