

NTN NUP2340 cylindrical roller bearings

What is the best place to buy 870x710x74 Size (mm) NTN NUP2340 cylindrical roller bearings online? Manufacturing Service .

Size (mm)	870x710x74
Bore Diameter (mm)	870
Outer Diameter (mm)	710
Width (mm)	74
d	710 mm
D	870 mm
B	74 mm
d1	761.4 mm
D1	818 mm
r1,2 – min.	4 mm
da – min.	725 mm
Da – max.	855 mm
ra – max.	3 mm
Basic dynamic load rating – C	475 kN
Basic static load rating – C0	1100 kN
Fatigue load limit – Pu	16.6 kN
Reference speed	1200 r/min
Limiting speed	1000 r/min
Calculation factor – kr	0.015
Calculation factor – f0	17
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A

Weight / Kilogram	122.97
EAN	7316577127020
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Brass
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	710MM Bore; 870MM Outside Diameter; 74MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No F
Other Features	Deep Groove Centered Outer Ring
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	618/710 MA
Weight / LBS	273.087
Outer Race Width	2.913 Inch 74 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	27.953 Inch 710 Millimeter
Outside Diameter	34.252 Inch 870 Millimeter
bore diameter:	710 mm
static load capacity:	1100 kN

outside diameter:	870 mm
precision rating:	Not Rated
overall width:	74 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Brass
closure type:	Open
outer ring width:	74 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	3 mm
snap ring included:	Without Snap Ring
maximum rpm:	1000 RPM
internal clearance:	C0
series:	61
dynamic load capacity:	475 kN
d1 ≈	761.4 mm
D1 ≈	818 mm
r1,2 min.	4 mm
da min.	725 mm
Da max.	855 mm
ra max.	3 mm
Basic dynamic load rating C	475 kN
Basic static load rating C0	1100 kN
Fatigue load limit Pu	16.6 kN
Calculation factor kr	0.015
Calculation factor f0	17
Mass bearing	93.5 kg