

# NTN NUP356 cylindrical roller bearings

NTN NUP356 cylindrical roller bearings Industries and Applications 15 Bore Diameter (mm) ? We sell discount online as 15 mm d well as cheap machinery parts.

|                               |                  |
|-------------------------------|------------------|
| Bore Diameter (mm)            | 15               |
| d                             | 15 mm            |
| V                             | 57 mm            |
| U                             | 32,9 mm          |
| Thread (Q)                    | M6               |
| A                             | 25 mm            |
| A1                            | 9,5 mm           |
| B                             | 27,4 mm          |
| H                             | 99 mm            |
| J                             | 76,5 mm          |
| L                             | 57 mm            |
| N                             | 11,5 mm          |
| A2                            | 17 mm            |
| Weight                        | 0,35 Kg          |
| Basic dynamic load rating (C) | 9,8 kN           |
| Inventory                     | 0.0              |
| Manufacturer Name             | SCHAEFFLER GROUP |
| Minimum Buy Quantity          | N/A              |
| Weight / Kilogram             | 0                |
| EAN                           | 4012802098105    |
| Product Group                 | M06110           |
| Number of Mounting Holes      | 2                |

|                           |  |
|---------------------------|--|
| Mounting Method           | Set Screw  |
| Housing Style             | 2 Bolt Flange Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 11.5 Millimeter  |
| Relubricatable            | Yes  |
| Insert Part Number        | GYE15KRRB  |
| Seals                     | Double Land Riding Rubber Contact  |
| Housing Configuration     | 1 Piece Solid  |
| Pilot Configuration       | No Pilot   |
| Inch – Metric             | Metric   |
| Long Description          | 2 Bolt Flange Block; 15MM Bore; 76MM Bolt Circle; 76.5MM Bolt Spacing; 1 Piece Solid; Set Screw Moun |
| Other Features            | Single Row   With Grub Screw   |
| UNSPSC                    | 31171501   |
| Harmonized Tariff Code    | 8483.20.40.40  |
| Noun                      | Bearing  |
| Keyword String            | Flanged  |
| Manufacturer Item Number  | RCJTY15  |
| Weight / LBS              | 0.882  |
| Cartridge Pilot Diameter  | 0 Inch   0 Millimeter  |
| Length Thru Bore          | 1.079 Inch   27.4 Millimeter   |
| Bore                      | 0.591 Inch   15 Millimeter   |
| Cartridge Pilot Depth     | 0 Inch   0 Millimeter  |
| Bolt Spacing              | 3.012 Inch   76.5 Millimeter   |

Nominal Bolt Circle Diameter  
Round

3 Inch | 76 Millimeter