

# NTN PK28X38X15.8 needle roller bearings

With over 10170 33 mm B full-service stores, 210 mm D our NTN PK28X38X15.8 needle roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars. 140 mm d

d	140 mm
D	210 mm
B	33 mm
E	192 mm
F	158 mm
rs min	2 mm
r1s min	1.1 mm
Radial clearance class	C3
Mass (without HJ ring)	4.08 kg
Dynamic load, C	176 kN
Static load, C0	250 kN
Fatigue limit load, Cu	25.8 kN
Nlim (oil)	3,800 rpm
Nlim (grease)	3,200 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
da min	146.5 mm
da max	156 mm
db min	161 mm
Da max	201 mm

ra max	2 mm
rla max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	3.864
EAN	4547359137408
Product Group	B04144
bore diameter:	140 mm
precision rating:	ISO Class 0
outside diameter:	210 mm
maximum rpm:	3800 rpm
overall width:	33 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring
cage material:	High Strength, 2 piece, Machined Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
outer ring width:	33 mm
ring separation:	Separable Inner Ring
fillet radius:	2 mm
operating temperature range:	-40 to 120 °C
series:	NU
dynamic load capacity:	176000 N
manufacturer product page:	<a href="#">Click here</a>

static load capacity:	250000 N
-----------------------	----------