

# NTN TMB005LLU/2AS deep groove ball bearings

With over 10170 full-service stores, our NTN TMB005LLU/2AS deep groove ball bearings inventory 30x42x7 Size (mm) is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving 42,000 Outer Diameter (mm) time and your hard-earned dollars.

Size (mm)	30x42x7
Bore Diameter (mm)	30,000
Outer Diameter (mm)	42,000
Width (mm)	7,000
d	30,000 mm
D	42,000 mm
B	7,000 mm
C	7,000 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359410754
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No

Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	30MM Bore; 42MM Outside Diameter; 7MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO
Other Features	Deep Groove   With Snap Ring
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6806ZZNR
Weight / LBS	0.051
Outer Race Width	0.276 Inch   7 Millimeter
Bore	1.181 Inch   30 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	1.654 Inch   42 Millimeter
bore diameter:	30 mm
precision rating:	ISO Class 0
outside diameter:	42 mm
finish/coating:	Uncoated
overall width:	7 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	7 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	7 mm

snap ring included:	With Snap Ring
maximum rpm (grease):	15000 rpm
internal clearance:	CN
fillet radius:	0.3 mm
operating temperature range:	-40 to 120 °C
maximum rpm:	15000 RPM
dynamic load capacity:	4700 N
series:	68
static load capacity:	3650 N
manufacturer product page:	<a href="#">Click here</a>