

PFI 3982/20 tapered roller bearings

Online PFI 3982/20 tapered roller bearings Expert. More Choices. PFI 3982/20 tapered roller bearings in Stock & Ready Mounted Bearing Engineering Group to Ship Now!

Engineering Group	Mounted Bearing
Shaft Size	85 mm
Shaft Size Type	Metric
Full Timken Part Number	QVTU19V085SB
Locking Style	Single V-Lock
Weight	44 lb
Housing Style	Take-Up
UPC Code	0883450359948
Dimension A	3.63 in
Dimension C	1.00 in
Dimension D	7.63 in
Dimension E	6.81 in
Dimension F	1.81 in
Dimension G	1.88 in
Dimension J	4.88 in
Dimension L	10.12 in
Dimension N	3.92 in
Dimension P	6.25 in
Dimension RV	0.02 in
Dimension S	1.810 in
Dimension TV	3.90 in
C0 – Static Load	99000 lb

C – Dynamic Load (Basic)	86600 lb
e – Geometry Factor	0.23
Y1 – Geometry Factor	2.88
Y2 – Geometry Factor	4.29
Oil Lubrication – M/N Seal	1300 rpm
Oil Lubrication – T Seal	2200 rpm
Oil Lubrication – B/C/O Seal	1000 rpm
Grease Lubrication – M/N Seal	1300 rpm
Grease Lubrication – T Seal	1800 rpm
Grease Lubrication – B/C/O Seal	950 rpm
Float	0.08 in
Shaft Tolerance	0.0030 in
Eng Internal Radial Clearance – Min	0.0043
Eng Internal Radial Clearance – Max	0.0055
Pre Install Clearance Min	0.110 mm
Pre Install Clearance Max	0.140 mm