

RHP LJ1.3/8-NR deep groove ball bearings

Online shopping RHP LJ1.3/8-NR deep groove ball bearings from N/A Minimum Buy Quantity a great selection at Store. ... 0.0 Inventory Accessories. SKF Manufacturer Name

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.4
EAN	7316576664502
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	22208
Seals	Garter Spring
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Inch

Long Description	4 Bolt Round Flange Cartridge; 1-1/2" Bore; 4.4" Bolt Circle; 3.1" Bolt Spacing; 1 Pi
Other Features	Double Row Heavy Duty Open End With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYRP 1.1/2-3
Weight / LBS	6.3
d	1.5 Inch 38.1 Millimeter
D	2.75 Inch 69.85 Millimeter
Cartridge Pilot Depth	0.75 Inch 19.05 Millimeter
Cartridge Pilot Diameter	3.625 Inch 92.08 Millimeter
Nominal Bolt Circle Diameter Round	4.4 Inch 111 Millimeter
Bolt Spacing	3.1 Inch 78.5 Millimeter
bore diameter:	1-1/2 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	4.3750 in
seal type:	Radial Shaft Seal
overall length/diameter:	5.2500 in
overall depth:	2-57/64 in
flange mounting type:	Four-Bolt Piloted Flange
radial dynamic load capacity:	16600 lb
bearing type:	Spherical Roller

radial static load capacity:	18300 lb
housing construction:	Solid Flange Mount
operating temperature range:	-5 to +230 °F
bore type:	Round
maximum rpm:	1700 RPM
duty type:	Standard Duty
finish/coating:	Uncoated
housing material:	Cast Iron
lubrication type:	Lubrication Fitting
locking device:	Set Screw
series:	222