

RT626 INA 88.9×132.575×25.4mm Self Aligning No Thrust roller bearings

| | |
|---------------------|--|
| Bearing number | RT626 |
| Size (mm) | 88.9×132.575×25.4 |
| Brand | INA |
| Bore Diameter (mm) | 88.9 |
| Outer Diameter (mm) | 132.575 |
| Width (mm) | 25.4 |
| d | 3 1/2 inch |
| d | 88.9 mm |
| D | 5.22 inch |
| D | 132.575 mm |
| T | 1 inch |
| T | 25.4 mm |
| m | 2.69 lbs / Weight |
| m | 1.22 kg / Weight |
| C _a | 48000 lbf / Dynamic load rating (axial) |
| C _a | 214000 N / Dynamic load rating (axial) |
| C _{0a} | 143000 lbf / Static load rating (axial) |
| C _{0a} | 640000 N / Static load rating (axial) |
| Height | 1 Inch 25.4 Millimeter |
| Category | Thrust Roller Bearing |
| BDI Inventory | 0.0 |

| | |
|----------------------------|--|
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 1.461 |
| EAN | 4012802068719 |
| Product Group – BDI | B04144 |
| Rolling Element | Cylindrical Roller Bearing |
| Self Aligning | No |
| Component Description | Roller Assembly plus Raceways |
| Thrust Bearing | Yes |
| Single or Double Direction | Single Direction |
| Banded | No |
| Cage Material | Steel |
| Precision Class | ABEC 1 ISO P0 |
| Other Features | Double Row Cylindrical Roller Flat Race Separable Axial Contact |
| Long Description | 3-1/2" Bore 1; 3-1/2" Bore 2; 5-7/32" Outside Diameter; 1" Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly plus Raceways |
| Inch – Metric | Inch |
| Category – BDI | Thrust Roller Bearings |
| UNSPSC | 31171507 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Keyword 3 | Cylindrical |
| Keyword String | Thrust Roller Cylindrical |
| Manufacturer URL | http://www.ina.com |

| | |
|-------------------------------------|---------------------------------|
| Manufacturer Item Number | RT626 |
| Weight / LBS | 2.69 |
| Overall Height with Aligning Washer | 0 Inch 0 Millimeter |
| Bore 2 | 3.5 Inch 88.9 Millimeter |
| Outside Diameter | 5.218 Inch 132.537 Millimeter |
| Bore 1 | 3.5 Inch 88.9 Millimeter |