

Ruville 5327 wheel bearings

What are the dimensions of a Ruville 5327 wheel bearings? Manufacturing Service 0.0 Inventory . Get Your Free, Instant Quote TIMKEN Manufacturer Name

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	102.15
EAN	0087796309593
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-1/8 Inch
Relubricatable	Yes
Insert Part Number	22230K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Double Row Heavy Duty
Long Description	4 Bolt Pillow Block; 5-3/16" Bore; 6-5/16" Base to Center Height; Tapered Adapter Sleeve M
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SDAF 22530
Weight / LBS	225
D	2.50 in
Nominal Bolt Center to Center	17.6 Inch 447 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Bolt Spacing Maximum	18.25 Inch 463.55Millimeter
d	5.188 Inch 131.775 Millimeter
Bolt Spacing Minimum	17 Inch 431.8Millimeter
B	21.2500 in
Diameter S-1	5 3/16 in
A	6.3125 in
C	7.8750 in
E Max.	18.2500 in
E Min.	17.0000 in
F	4.75 in
H1	12.8125 in
Oil Level K	2.1875 in
L2	8.3750 in
Y	2.5781 in
No. of Base Bolts Required	4
Size of Base Bolts Required	1.125 in
Adapter Assembly Number3	SNW-30 x 5-3/16
Housing Only4	SDAF530
Bolt Hole Length	1.75 in
Bolt Hole Width	1.125 in
Assembly Weight	225.0 lb

Triple Seal 2 Req'd	L0R 125
Full Timken Part Number	SDAF22530