

# SKF 2219 K + H 319 self aligning ball bearings

SKF 2219 K + H 319 self aligning ball bearings Product N/A  
Minimum Buy Quantity Brochures , Manufacturing 0.0 Inventory  
Service . Get Your Free.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	52.55
EAN	7316570396256
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch – Metric	Metric
Long Description	300MM Bore; 460MM Outside Diameter; 74MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of

UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	7060 BGM
B	74 mm
d	300 mm
D	460 mm
d1 ≈	363.6 mm
d2 ≈	335.7 mm
D1 ≈	401 mm
a	196 mm
r1,2 min.	4 mm
r3,4 min.	1.5 mm
da min.	317 mm
Da max.	443 mm
Db max.	453 mm
ra max.	3 mm
rb max.	1.5 mm
Basic dynamic load rating C	377 kN
Basic static load rating C0	630 kN
Fatigue load limit Pu	13.7 kN
Reference speed	1400 r/min
Limiting speed	1500 r/min
Calculation factor A	6.26
Calculation factor kr	0.083
Calculation factor e	1.14
Calculation factor X	0.57
Calculation factor Y0	0.52

Calculation factor Y2	0.93
Calculation factor Y1	0.55
Mass bearing	42.5 kg