

# SKF 239/710 CAK/W33 spherical roller bearings

Request N/A Minimum Buy Quantity A Quote For Your Special SKF 239/710 CAK/W33 spherical roller bearings Needs 0.0 Inventory Today! Free Quotes. ISO 9001 certified.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	64.43
EAN	0013992050458
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE500BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Round Flange Block; 5" Bore; 14.7" Bolt Circle; 2 Piece Split; Clamp Collar Mount;

Other Features	Single Row   Wide Inner Ring   Light Duty
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Weight / LBS	141.92
Nominal Bolt Circle Diameter Round	14.7 Inch   374 Millimeter
Bolt Spacing	10.4 Inch   264.5 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
D	3.74 Inch   95 Millimeter
d	5 Inch   127 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Shaft Size	5 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Light Series
Bolt Size	4 x M24
Bearing – Housing – Seal	LSE500BRHATL
Bearing – Housing – Seal UPC	013992045157
Bearing UPC	013992027122
Dimension T	17.0 in
Dimension R	14.7 in
Dimension P	0.9 in
Dimension H	3.9 in
Dimension N	12.375 in
Dimension V	0.1 in

Dimension L	7.0 in
Cr – Dynamic Load Rating	81606 lbf
Cor – Static Load Rating	111505 lbf
Ca – Axial Load Rating	4990.69 lbf
Maximum Speed	1740 rpm
Note	This product line was formerly known as “Revolvo”