

# SKF 331657 tapered roller bearings

SKF 331657 tapered roller bearings SEARCH – Whether 50x65x40 Size (mm) it's agriculture or construction equipment your working on, 50 Bore Diameter (mm) Has the you need.

Size (mm)	50x65x40
Bore Diameter (mm)	50
Outer Diameter (mm)	65
Width (mm)	40
Fw	50 mm
D	65 mm
C	40 mm
Da	58,5 mm
Db	50,6 mm
db	57,2 mm
E	58 mm
ra max	0,6 mm
rmin	0,6 mm
m	355 g / Weight
Cr	69000 N / Dynamic load rating (radial)
C0r	124000 N / Static load rating (radial)
Cur	21700 N / Fatigue limit load, radial
nG	9100 1/min / Limiting speed
nB	5100 1/min / Reference speed
Inventory	0.0

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.36
EAN	4012801181402
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring – No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Double Row
Separable	Outer Ring – Both Sides
Closed End	No
Inch – Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	50MM Bore; 65MM Outside Diameter; 40MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring
Other Features	Plain Outer Ring   Precision Bearing   Steel Cage   Ground Raceway
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	RNA050X65X40
Weight / LBS	0.783
Width	1.575 Inch   40 Millimeter

Bore	1.969 Inch   50 Millimeter
Outside Diameter	2.559 Inch   65 Millimeter