

# SKF 4304 ATN9 deep groove ball bearings

With over 10170 full-service stores, our SKF 4304 ATN9 deep groove ball bearings inventory is extensive and our parts are priced right. 0.0 Inventory within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | SKF  |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 26.924   |
| EAN                       | 7316577650931  |
| Product Group             | B04311   |
| Internal Clearance        | C4-Extra Loose   |
| Mounting Method           | Shaft Mount  |
| Rolling Element           | Spherical Roller Bearing   |
| Bore Profile              | Straight   |
| Cage Material             | Steel  |
| Enclosure                 | Open   |
| Number of Rows of Rollers | Double Row   |
| Relubricatable            | Yes  |
| Withdrawal Sleeve         | Not Applicable   |
| Withdrawal Nut            | Not Applicable   |
| Inch – Metric             | Metric   |
| Long Description          | 160MM Straight Bore; 270MM Outside Diameter; 109MM Width; C4-Extra Loose Clearance; Shaft Mount; Dou |

|                              |   |
|------------------------------|---|
| UNSPSC                       | 31171510  |
| Harmonized Tariff Code       | 84823080  |
| Noun                         | Bearing   |
| Keyword String               | Spherical                                       |
| Weight / LBS                 | 59.304  |
| B                            | 4.291 Inch   109 Millimeter                     |
| Adapter Part Number          | Not Applicable Inch   Not Applicable Millimeter |
| D                            | 10.63 Inch   270 Millimeter                     |
| d                            | 6.299 Inch   160 Millimeter                     |
| bore diameter:               | 160 mm  |
| maximum rpm:                 | 1900 RPM  |
| outside diameter:            | 270 mm  |
| operating temperature range: | Maximum of +390 °F                              |
| overall width:               | 109 mm  |
| cage material:               | Steel   |
| bore type:                   | Straight  |
| bearing material:            | Steel   |
| outer ring type:             | Not Split                                       |
| cage type:                   | Inner Ring Guided                               |
| internal clearance:          | C4  |
| precision rating:            | Not Rated                                       |
| closure type:                | Open  |
| finish/coating:              | Uncoated  |
| lubrication hole type:       | Lubrication Groove & Hole                       |
| outer ring width:            | 109 mm  |
| dynamic load capacity:       | 1180 kN   |
| fillet radius:               | 2 mm  |
| static load capacity:        | 1760 kN   |

|         |     |
|---------|-----|
| series: | 241 |
|---------|-----|