

SKF 51418M thrust ball bearings

Offer High Quality Brand SKF 51418M thrust ball bearings .Contact Us Online to Get 35 Bore Diameter (mm) Best Quote. 35x80x22.75 Size (mm)

Size (mm)	35x80x22.75
Bore Diameter (mm)	35
Outer Diameter (mm)	80
Width (mm)	22,75
d	35 mm
D	80 mm
T	22,75 mm
B	21 mm
C	15 mm
a	25,2 mm
r min.	2 mm
r1 min.	1,5 mm
da min.	51 mm
Da min	62 mm
Da max.	71 mm
db max.	44 mm
Db min.	77 mm
ra max.	2 mm
rb max.	1,5 mm
Weight	0,52 Kg
Basic dynamic load rating (C)	62 kN
Basic static load rating (C0)	68 kN

(Grease) Lubrication Speed	4300 r/min
(Oil) Lubrication Speed	6000 r/min
Calculation factor (e)	0,83
Calculation factor (Y0)	0,4
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B04334
LangID	1
outer r	1.5
D_	80
TC-BET22	30
TC-BET21	8
TC-BET23	0
inner r	2
mass	0.52
GRS rpm	4300
D_b	77
Cr	6350
TC-RA	75.984
DE_	67.111
T-ALP23	18
db	44
T-ALP22	37
Prod_Type3	TRBSR_MD_A
da	51
T-ALP21	57
Iso	7FB

ALPHA_	28.811
SDM_	57.467
SBRG	3
D_a2	62
hidYobi	HR31307J
Y1	0.73
D_a1	71
B_	21
hidTable	ecat_NSTPRM
Oil rpm	6000
C0r	6950
Y0	0.4
TC-SLR	14
inner ra	2
outer rb	1.5
C0	68
Sa	3
Sb	7.5
e	0.83
DA_	10.235
Z_	16
C_	15
yobi	HR31307J
TC-DA1	11.258
TC-DA2	9.212
KBRG	3111
DI_	47.822