

# SKF 6209/HR22T2 deep groove ball bearings

Advance SKF 6209/HR22T2 deep groove ball bearings is your source for quality 320 Bore Diameter (mm) and accessories. 440 Outer Diameter (mm) shop online for home delivery or 320x440x76 Size (mm) pick up in one of our 10000 .

Size (mm)	320x440x76
Bore Diameter (mm)	320
Outer Diameter (mm)	440
Width (mm)	76
d	320 mm
D	440 mm
T	76 mm
B	76 mm
C	57 mm
a	85 mm
r min.	4 mm
r1 min.	3 mm
da min.	341 mm
Da min	406 mm
Da max.	426 mm
db max.	344 mm
Db min.	426 mm
ra max.	3 mm
rb max.	2,5 mm
Weight	33,3 Kg
Basic dynamic load rating (C)	1040 kN

Basic static load rating (C0)	2220 kN
(Grease) Lubrication Speed	670 r/min
(Oil) Lubrication Speed	900 r/min
Calculation factor (e)	0,42
Calculation factor (Y0)	0,79
LangID	1
outer r	3
D_	440
TC-BET22	10
TC-BET21	2
TC-BET23	0
inner r	4
mass	33.3
GRS rpm	670
D_b	426
Cr	106000
TC-RA	792.9
DE_	409.214
T-ALP23	0
db	344
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	341
T-ALP21	31
Iso	3FD
ALPHA_	15.5
SDM_	381.031
SBRG	29
D_a2	406

hidYobi	HR32964J
Y1	1.4
D_a1	426
B_	76
hidTable	ecat_NSTPRM
Oil rpm	900
C0r	227000
Y0	0.79
TC-SLR	55
inner ra	3
outer rb	2.5
C0	2220
Sa	13
Sb	19
e	0.42
DA_	28.944
Z_	37
C_	57
yobi	HR32964J
TC-DA1	29.981
TC-DA2	27.907
KBRG	3111
DI_	352.847